



TEST REPORT

Report NO.: **JW26060025** Report Date: Jun. 17, 2026

Date Received: Jun. 09, 2026 Page 1 of 3

C. C: YUNGSHANGSHOP

ADDRESS :(East Villa Area, Ligezhuang Village)West of Square Avenue, Ligezhuang Town, Jiaozhou District, Qingdao City, Shandong Province ,Qingdao,Shandong,CN(China)

| OVERALL RATING | |
|----------------|-------|
| PASS | ✓ |
| FAIL | _____ |
| DATA | _____ |

| | | | |
|-----------------------|----------------------------|--------------|---|
| Sample Description: | / | | |
| Manufacturer' s Name: | YUNGSHANGSHOP | SKU ID:: | / |
| Country of Origin: | / | Model No: | / |
| Tel: | / | Destination: | / |
| Mail: | qdyungshangjewelry@163.com | SKC ID.: | / |
| Batch Number: | / | SPU ID: | / |
| Previous Report No.: | / | Age Grade: | / |

Test Summary:

| Test Requested | Regulation/Standard applied | Conclusion |
|-----------------------|--|------------|
| Total Lead Content | Annex XVII items 63 of the REACH Regulation (EC) No.1907/2006and its amendment | PASS |
| | California Proposition 65. | |
| Total Cadmium Content | Annex XVII items 23 of the REACH Regulation (EC) No.1907/2006and its amendment | PASS |
| | California Proposition 65. | |
| Nickel Release | BS EN 1811:2023 & EN 12472:2020. | PASS |

Remark: The client specifies the test method and requirement. The test results are only responsible for the received samples.

Signatory:

Technical Manager



Zibo Qiwei Testing Technology Service Co., Ltd.
Add: 24F,block B,No.51 Lutai Road, Development District, Zibo, Shandong
Tel: 0533-7868180
E-mail: qv@qvtesting.com

Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted.



2.For all post piercing assemblies inserted into pierced ears and other pierced parts of the human body:
According to BS EN1811:2023 Article shall be accepted and be permitted to be placed on the market if the measured value is less than 0.35mcg/sq. cm/week.

Note / Key :

"<" = Less than
mL = milliliter(s)

">" = Greater than sq. cm = square centimeter(s)
mcg/sq. cm/week = microgram(s) per square centimeter per week

ORIGINAL SAMPLE



<END>